
Contents of Volume 24

NUMBER 1 JANUARY 1986

¹H and ¹³C Chemical Shift Data of Two Sulphonaphthoimidazoles	1
M. PARRILLI, A. PASTORE AND P. A. TEMUSSI	
Electron Spin Resonance of Some Nitro- and Fluoro-Substituted Triphenylmethyl Radicals	5
S. V. KULKARNI AND C. TRAPP	
Amidines: XVII—Substituent-Induced Chemical Shifts in ¹³C NMR Spectra of N²-Phenyl-Formamidines, -Acetamidines and -Guanidines	9
J. OSZCZAPOWICZ, E. RACZYŃSKA AND J. OSEK	
¹³C and ¹⁷O NMR of Some Substituted Oxiranes. Chemical Shifts and Quantitative Correlations	15
J. P. MONTI, R. FAURE, A. SAULEAU AND J. SAULEAU	
NMR Investigations on Benzheteroazoles: 2*—NMR Investigations of N-Acylated 2-Aminobenzimidazoles	21
E. GRÜNDEMANN, H. GRAUBAUM, D. MARTIN AND E. SCHIEWALD	
Studies of Substituent Effects by Carbon-13 NMR Spectroscopy: V-Ethyl (E)-(α-Cyano)Cinnamates, (E)-(α-Cyano)Cinnamamides and Ethyl (α-Ethoxycarbonyl)cinnamates	31
F. A. BOTTINO, G. MUSUMARRA AND Z. RAPPOPORT	
¹H NMR Study and Conformational Aspects of 20'-Deoxy-20'-Epivindesine	35
A. DE BRUYN, M. VERZELE, A. JANS, G. VAN BINST, A. NOIRET, J-P. DE JONGHE AND J. HANNART	
Secondary Structure of Peptides: 17—Cis/trans Isomerism of Solid Proline-Containing Oligopeptides as Revealed by ¹³C NMR CP/MAS Spectroscopy	41
H. R. KRICHENDORF, E. T. K. HAUPT AND D. MÜLLER	
¹³C Substituent-Induced Chemical Shifts in 1-Amino-4-Phenyl- and 4-Phenyl-1H-1,2,3-Triazoles	53
E. KLEINPETER, H. WILDE AND S. HAUPTMANN	
¹H, ¹³C and ¹⁵N NMR Observations on the Protonation of 1- and 3-Deazapurine	55
J. C. LINDON, J. M. WILLIAMS AND P. BARRACLOUGH	
Structure Determination of Peracetylated Glycosphingolipids by One- and Two-Dimensional ¹H NMR at 360 and 500 MHz	59
J. DABROWSKI, U. DABROWSKI, P. HANFLAND, M. KORDOWICZ AND W. E. HULL	
NMR Study of Molecules in Anisotropic Systems: III—Structure and Orientation of 1a,2a,3e,4e,5e,6a-Hexachlorocyclohexane in a Nematic Liquid Crystal Determined from Low-Temperature Experiments	71
H. FUJIWARA, N. SHIMIZU, T. TAKAGI AND Y. SASAKI	
Study of ¹³C-¹⁹F and ¹H-¹⁹F Couplings in Some Fluorinated Aromatic Compounds Using Two-Dimensional ¹³C-¹H Chemical Shift Correlation Spectroscopy with Proton Homonuclear Decoupling	75
W. GUO AND T. C. WONG	
High-Resolution ¹³C Nuclear Magnetic Resonance Spectra of Some Solid Biphenyl Derivatives	81
A. M. CHIPPENDALE, R. S. AUJLA, R. K. HARRIS, K. J. PACKER AND S. PURSER	
Book Review	89

Intramolecular Van der Waals Interactions and ^{13}C Chemical Shifts: Substituent Effects in Some Cyclic and Bicyclic Systems	93
S. LI AND D. B. CHESNUT	
^1H and ^{13}C Assignment of Cyclopenta[cd]pyrene by Two-Dimensional NMR Spectroscopy	101
A. W. H. JANS, C. TINTEL, J. CORNELISSE AND J. LUGTENBURG	
Application of Two-Dimensional NMR Spectroscopy to the Analysis of the Proton NMR Spectrum of Sparteine and its Lactams	105
W. M. GOŁĘBIEWSKI	
Conformational Studies on Some Phthalideisoquinoline Derivatives	113
K. E. KÖVÉR AND P. KERÉKES	
Application of Two-Dimensional NMR Spectroscopy to the Study of the Cyclic Decapeptide Antamanide	123
E. GIRALT AND M. FELIZ	
^{13}C NMR Spectra of 1,4-Oxathian-2-ones: The Conformational Implications	131
J. KOSKIMIES	
Condensation of 1,3-Trimethinecyanines with Arylamines. Structural Assignment of the Products by NOE Difference Spectroscopy	137
G. TÓTH, I. BITTER, G. BIGAM AND O. STRAUZ	
Conformational Analysis: XXVII—A ^1H and ^{13}C NMR Conformational Study of <i>cis</i>- and <i>trans</i>-Annulated 2-<i>p</i>-Nitrophenyl-4,5- and -5,6-tetramethylenepiperhydro- and 2-<i>p</i>-Chlorophenyl-4,5- and -5,6-tetramethylenedihydro-1,3-oxazines	145
K. PIHLAJA, J. MATTINEN, G. BERNÁTH AND F. FÜLÖP	
Geometry-Dependent Complexation Effects in ^{13}C NMR Spectra of (η^6-[<i>n</i>]Paracyclophane)-Chromium and -Iron Complexes	151
N. MORI AND M. TAKAMORI	
Synthesis and NMR Analysis of Isotopically Enriched Methanol	157
T. E. WALKER AND W. E. WAGEMAN	
Chemistry of the S=O Bond: 9-Conformational Analysis of some Substituted Trimethylene Sulphites (1,3,2-Dioxathiane 2-oxides) via ^{17}O NMR Spectroscopy	163
D. G. HELLIER	
Conformational Analysis of DL-, L- and D-Methionine by Solid-State ^{13}C NMR Spectroscopy	167
L. E. DÍAZ, F. MORIN, C. L. MAYNE, D. M. GRANT AND C.-J. CHANG	
Medium Effects on ^{33}S NMR of Inorganic Sulphate	171
P. S. BELTON, I. J. COX AND R. K. HARRIS	
Relaxation Studies of Carbonyl Rhenium Clusters: Part 2—Relaxation Mechanisms and Estimation of the ^{13}C Chemical Shielding Anisotropy in the $[\text{Re}_3(\mu\text{-H})_4(\text{CO})_{10}]^-$ Anion at Low Temperature	175
T. BERINGHELLI, G. D'ALFONSO AND H. MOLINARI	
Concerted Use of Homo- and Hetero-nuclear 2D NMR: ^{13}C and ^1H Assignment of Sucrose Octaacetate	179
T. NISHIDA, C. R. ENZELL AND G. A. MORRIS	

Studies on the Conformations in Solution of 5β-Steroids having Different Side Chains By ^{13}C NMR Spectroscopy	185
A. M. SELDES, M. E. DELUCA AND E. G. GROS	
The Use of High-Field Carbon-13 NMR Spectroscopy to Characterize Chiral Centers in Isopranes	191
D. K. DALLING, R. J. PUGMIRE, D. M. GRANT AND W. E. HULL	
ESR and ^1H NMR Studies of a New Class of Nitroxyl, Nitronylnitroxyl and Iminonitroxyl Radicals	199
V. V. KHRAMTSOV, L. M. WEINER, A. Z. GOGOLEV, I. A. GRIGOR'EV, V. F. STARICHENKO AND L. B. VOLODARSKY	
Studies of Substituent Effects by Carbon-13 NMR Spectroscopy VI—Application of Multivariate Data Analysis to ^{13}C NMR Chemical Shifts of Protonated Chalcones and Thiophene Chalcone Analogues	209
G. MUSUMARRA, D. CARBONE, D. JOHNELS AND U. EDLUND	
Transmission of Polar Substituent Effects Through the Bicyclo[2.2.2]octane Ring System as Monitored by NMR Shifts: a ^{13}C NMR Study of 4-Substituted-1-methylbicyclo[2.2.2]octanes	213
W. ADCOCK, A. N. ABEYWICKREMA, V. SANKAR IYER AND G. B. KOK	
^1H and ^{13}C NMR Studies on 2-Aminofluorene Derivatives with Carcinogenic and Mutagenic Activities	221
M. NICOLETTI AND M. A. IORIO	
Carbon-13 Nuclear Magnetic Resonance Spectra of Isoflavones	225
M. SREE RAMA MURTHY, E. VENKATA RAO AND R. S. WARD	
Carbon-13 NMR Spectra of Pyrrolo[1,2-<i>a</i>]quinoxaline, Pyrrolo[1,2-<i>a</i>]pyrazine and Imidazo[1,2-<i>a</i>]quinoxaline	231
J. COBB AND G. W. H. CHEESEMAN	
^{13}C NMR Studies of Epimeric 20(<i>R,S</i>)-Hydroxy-23-norcholanoic Acid Derivatives	239
A. M. SELDES, M. S. MAIER AND E. G. GROS	
^{13}C and Proton Nuclear Magnetic Resonance Spectra of <i>trans</i>-[Arylbromobis(triethylphosphine)palladium(II)] and Related Compounds. The π-Donor Ability of the $\text{Ni}(\text{PEt}_3)_2\text{X}$, $\text{Pd}(\text{PEt}_3)_2\text{X}$ and $\text{Pt}(\text{PEt}_3)_2\text{X}$ Groups	243
J. GRANELL, G. MULLER, M. ROCAMORA AND J. VILARRASA	
The Use of ^{13}C Satellites in the Proton NMR Spectra of Oriented Systems for the Determination of Molecular Structure	247
N. SURYAPRAKASH AND C. L. KHETRAPAL	
Sequential Assignments in Deoxyribonucleotide Tetramers by $^{31}\text{P}/^1\text{H}$ Two-Dimensional Shift Correlation NMR Spectroscopy	251
A. OTTER, J. W. LOWN AND G. KOTOVYCH	
^{15}N NMR Studies on Cyclopalladated Schiff's Base Complexes	255
P. S. PREGOSIN, R. RÜEDI AND C. ANKLIN	
Waltz-16 Decoupling on JEOL FX Series NMR Spectrometers	259
R. A. HEARMON AND J. GOODACRE	

Reference Data

- Carbon-13 Chemical Shift Assignment of Some Organophosphorus Compounds VII—Bicyclic Phosphoranes Bearing a Chiral Pentacoordinated Phosphorus and a Chiral Carbon Atom** 263
J. M. A. AL-RAWI, N. AYED AND F. H. OSMAN
- ¹H NMR Data for Methyl *trans*- β -(2-, 4-, and 5-Substituted-3-thienyl)acrylates** 265
H. SATONAKA
- ¹³C NMR Phenol Substituent Effect in Acyclic Alkanes** 267
R. A. HEARMON AND A. M. CHIPPENDALE
- Carbon-13 NMR Investigation of Some Pharmacologically Important Heterocyclic *N*-Alkynylamines** 271
S. R. SALMAN, Z. MUHI-ELDENN, A. H. YASIN AND A. R. HATIM
- Substituent Effects on ¹³C-¹⁵N Spin Couplings and ¹³C Chemical Shifts in Benzyldeneanilines** 274
T. AXENROD, X. H. HUANG, M. J. WIEDER AND C. M. WATNICK
- Carbon-13 NMR Spectra of Five Sesquiterpenes Isolated from Ylang Ylang Essential Oil** 275
R. RANDRIAMIHARISOA, E. M. GAYDOU, R. FAURE AND J. P. BIANCHINI

NUMBER 4 APRIL 1986

- Molecular Structure Determinations of BF₃-Tetralone Complexes by NMR Spectroscopy** 279
J. TORRI
- Conformational Changes of Amino Acids Monitored by Deuterium Nuclear Relaxation Rate** 284
Y. VAN HAVERBEKE, R. N. MULLER AND L. VANDER ELST
- ¹³C NMR Spectra of 7-, 8-, 9- and 10-Fluorobenzo[*a*]pyrene** 287
D. J. SARDELLA AND E. BOGER
- NMR Spectra and Stereochemistry of 2-(Piperidin-2-ylmethyl)cycloalkanols** 292
M. J. BEGLEY, T. A. CRABB AND O. G. ROCH
- Binuclear Shift Reagents. Structure and Mode of Interaction of Ag(fod)-Ln(fod)₃ with Benzene** 297
D. J. RABER AND M. HÁJEK
- Comparison of Rate Constants Determined by Two-Dimensional NMR Spectroscopy with Rate Constants Determined by Other NMR Techniques** 304
P. BAINE
- A ¹³C NMR Investigation of [5]Metacyclophanes** 308
L. W. JENNESKENS, F. J. J. DE KANTER, W. H. DE WOLF AND F. BICKELHAUPT
- ¹³C and ¹H NMR Spectral Studies of Some Piperidin-4-one Oximes** 312
K. PANDIARAJAN, R. T. SABAPATHY MOHAN AND M. UL HASAN
- Application of 2D NMR Spectroscopy to the Complete Analysis of the ¹H NMR Spectra of 1- and 3-Nitrobenzo[*c*]pyrene** 317
L. K. SYDNES AND T. SKJETNE

Effects of Substitution on Nitrogen on Barriers to Rotation of Amides III—Effect of the Variation of Ring Size of Cyclic Substituents	323
B. M. PINTO, T. B. GRINDLEY AND W. A. SZAREK	
The Study of Sipholanes by Two-Dimensional NMR Spectroscopy	332
S. CARMELY AND Y. KASHMAN	
Three-Bond Carbon-Fluorine Coupling Constants in Substituted 3-Fluoropropanes and 3-Fluoropropanoates	337
A. DAHBI, S. HAMMAN AND C. G. BÉGUIN	
Swinholide-A, a New Marine Macrolide. Complete Assignment of ^1H and ^{13}C Spectra by 2D NMR Techniques	343
S. CARMELY, M. ROTEM AND Y. KASHMAN	
^1H and ^{13}C NMR Spectra of Pentafulvalene Compared with Selected Pentafulvenes	350
A. ESCHER, P. BÖNZLI, A. OTTER AND M. NEUENSCHWANDER	
^1H NMR Investigation of 10-Dimethylaminononafulvene	353
A. OTTER, M. NEUENSCHWANDER AND H. P. KELLERHALS	
Chelate Ring Effects in ^{95}Mo NMR Spectroscopy	357
E. C. ALYEA AND A. SOMOGYVARI	
<i>Reference Data</i>	
^{13}C and ^{31}P NMR Spectra of 1-Diethylphosphono-1-hydroxycycloalkanes	360
G. W. BUCHANAN, K. BOURQUE AND A. SEELEY	
^{13}C and ^{125}Te Chemical Shifts in <i>ortho</i>-Substituted Tellurophenetoles	362
M. BAIWIR AND G. LLABRES	
^{13}C NMR Studies of 23-Norchol-20(22)(<i>E</i>)-enoic Acid Derivatives	364
M. S. MAIER, A. M. SELDES AND E. G. GROS	
^{13}C NMR Spectra of Some <i>o</i>-Carbonyl Derivatives of Naphthols	366
G. RAZNIEWSKA-LAZĘCKA, A. DAMBSKA AND A. JANOWSKI	
News and Events	368
Book Review	369

NUMBER 5 MAY 1986

REVIEW PAPER—Modern NMR Techniques for Structure Elucidation	371
G. A. MORRIS	
Measurement of Coupling Constants in Broad Multiplets	404
Y. CHEVALIER	
^{17}O NMR Spectroscopy (Natural Abundance) of Heterocycles: Anhydrides	409
P. C. VASQUEZ, D. W. BOYKIN AND A. L. BAUMSTARK	
Study of the Effect of <i>N</i>-Protonation and <i>N</i>-Methylation on the ^1H and ^{13}C Chemical Shifts of the Six-Membered Ring in Benzazoles and 2-Substituted <i>N,N</i>-Dimethylamino Derivatives	415
R. BENASSI, R. GRANDI, U. M. PAGNONI AND F. TADDEI	

Benzene-Induced ^1H NMR Shifts of Flavone Protons: Detection of H-3	421
A. V. VYAS AND N. B. MULCHANDANI	
Nitrogen-15 Nuclear Magnetic Resonance Studies of Hydrogen Bonding and Proton Transfer in Some Pyridine Trifluoroacetates in Dichloromethane	424
Z. DEGA-SZAFRAN, M. SZAFRAN, L. STEFANIAK, C. BREVARD AND M. BOURDONNEAU	
Simple Reference Baseline Subtraction—90° Pulse Sequence for Acoustic Ringing Elimination in Pulsed Fourier Transform NMR Spectroscopy	428
I. P. GEROTHANASSIS	
^3H–^1H Shift Correlation NMR Spectroscopy	434
C. W. FUNKE, G. N. WAGENAARS AND F. M. KASPERSEN	
^1H NMR Study of $\text{Eu}(\text{fod})_3$-Macrocyclic Lactone Systems	438
L. CAZAUX, C. PICARD AND P. TISNES	
^{15}N and ^{13}C NMR Spectroscopy of 1,2,6-Thiadiazine 1,1-Dioxide Derivatives and Fused Systems	444
P. GOYA, C. OCHOA, I. ROZAS, A. ALEMANY AND M. L. JIMENO	
Substituent Chemical Shifts in NMR 3-Carbonitrile SCS in Rigid Molecules	451
R. J. ABRAHAM AND J. FISHER	
<i>Reference Data</i>	
Comparison of the Thiocarbonyl ^{13}C NMR Resonances of <i>N</i>-Phenylthioureas, <i>N</i>-Phenyl Thiocarbamates and <i>N</i>-Phenyl Dithiocarbamates	460
J. J. ARES, T. G. URCHER, C. W. PALMER, AND D. D. MILLER	

NUMBER 6 JUNE 1986

Review Paper—Carbon-13 NMR of β-Lactam Antibiotics and Related Compounds	465
S. K. BRANCH, A. F. CASY, A. LIPCZYNSKI AND E. M. A. OMINDE	
Stereochemistry of Nitrogen-Containing Heterocycles IV—^1H and ^{13}C NMR Spectra, ASIS Effects, Nitrogen Inversion, Configuration and Conformations of Substituted Tetrahydro-1,3-oxazines	480
YU. YU. SAMITOV, O. I. DANILOVA, B. V. UNKOVSKY AND I. P. BOIKO	
Mercuration Effects on Nucleoside Chemical Shifts: ^{15}N and ^{13}C NMR Studies of Methylmercury(II) Ion Addition to Cytidine-3'-monophosphate and Guanosine-5'-monophosphate	493
G. W. BUCHANAN AND M.-J. BELL	
Long-Range Proton-Proton Spin-Spin Coupling Constants in Some Aryl-Substituted Methyl-enemalonaldhydes. Conformational Dependence of <i>meta</i>- and <i>ortho</i>-Benzylic Couplings in Styrenic Systems	498
E. KOLEHMAINEN, R. LAATINAINEN AND V. KRÁL	
NMR Structure Proofs for a Series of Substituted Benzobicyclooctanes	503
W. B. SMITH	
^1H and ^{13}C NMR Studies of Substituted Nitropyridines and Nitrobenzenes	507
N. S. NUDELMAN AND S. B. CERDEIRA	

ESR Bonding Parameters and Hyperfine Line Width studies of Ternary Copper(II) Complexes V. G. K. M. PISIPATI, N. V. S. RAO, V. MURALIKRISHNA AND PREMCHAND	512
A Multinuclear NMR Spectroscopic Study of Some $\text{MO}(\text{CO})_4[(\text{R}_2'\text{PO})_2\text{Si}(\text{R})\text{R}']$ Complexes [$\text{R}_2' = \text{Ph}_2, \text{OCH}_2\text{CMe}_2\text{CH}_2\text{O}$; $\text{R}, \text{R}' = \text{Alkyl, Haloalkyl, Aryl}$] G. M. GARY AND K. A. REDMILL	519
Multinuclear NMR and Infrared Spectroscopic Study of a Series of <i>cis</i>-$\text{Mo}(\text{CO})_4(\text{py-R})_2$ ($\text{Py-R} = 3\text{- or }4\text{-Substituted Pyridine}$) Complexes: Relationship between Chemical Shifts and Infrared Force Constants and the Taft Electron Donor/Acceptor Parameters of the Pyridine Substituents J. W. BOX AND G. M. GRAY	527
Identification of Guayule Triterpenes By Two-Dimensional and Multipulse NMR Techniques R. A. KOMOROSKI, E. C. GREGG, J. P. SHOCKCOR AND J. M. GECKLE	534
Asymmetric Peak Heights in the ^{13}C Triplet of the C-α Nucleus in Single Crystals of L-Alanine K. TAKEGOSHI, A. NAITO AND C. A. McDOWELL	544
<i>Short Communications</i>	
^{15}N INEPT Spectra of Some Perfluoroazines A. COSTA, M. TATO AND R. S. MATTHEWS	547
Cross-Polarization-Induced Explosive Decomposition of Certain Electrically Conducting Polymers D. E. AXELSON, W. M. LEUNG AND J. D. VAN DYKE	549
<i>Reference Data</i>	
^{13}C NMR Study of N_2-Alkyl or Aryl Pyrazolinium Salts R. FAURE, J. LLINARES AND J. ELGUERO	551
The Chemistry of Santonene XIII—^{13}C NMR Spectra of Some Santonene Derivatives P. K. KELLY, T. BRIAN AND H. McMURRY	553
NUMBER 7 JULY 1986	
Review Paper—Some Aspects of High-Pressure NMR I. ANDO AND G. A. WEBB	557
Conformational Study of Chiral Acyclic Ketones by ^1H and ^{13}C NMR I. (\pm)-2,2,6,6-Tetramethyl-5-phenylheptan-3-one C. ALVAREZ-IBARRA, M. S. ARIAS-PÉREZ, A. DE ANDRÉS AND J. L. BALCÁZAR	568
Solvation of Alkylaromatic Hydrocarbons Towards a Paramagnetic Relaxation Reagent, Tris(acetylacetonato)chromium(III) T. A. HOLAK, D. W. AKSNES, H. GRAHN AND U. EDLUND	575
The Static and Dynamic NMR Spectra of 4,4'-Bis(<i>N</i>-isopropyl-<i>N</i>-nitrosoamino)biphenyl, a Four-Site Exchange Problem T. B. GRINDLEY, M.-J. LU, J. P. COLPA, S.-M. WU AND E. BUNCCEL	580
An Application of $^3J(\text{CH}_2, \text{H})$ and $^5J(\text{OH}, \text{H})$ Long-Range Couplings in the Conformational Analysis of 2-Hydroxybenzyl Methyl Ether in Various Solvents. Computational Strategies for Spectral Analysis and Determination of Association Thermodynamic Parameters R. LAATIKAINEN	588

CONTENTS OF VOLUME 24

A Molecular Dynamics Approach Concerning the Structures of 2-Hydroxy- and 2-Methoxy-benzyl Methyl ethers Based on the $^1J(\text{CH}_2, \text{H})$ Long-Range Spin-Spin Couplings	595
R. LAATIKAINEN AND K. TUPPURAINEN	
ESR Analysis of the Complexing Equilibria of Mn(II) with Nucleo Bases in Solution	601
F. LASCHI AND C. ROSSI	
$^1J(\text{CC})$ and $^3J(\text{CC})$ Coupling Constants in Monosubstituted Anilines. Additivity of Substituent Effects on Carbon-Carbon Couplings	607
P. SÁNDOR AND L. RADICS	
Use of Lanthanide Shift Reagents to Probe the Conformation of Fatty Acids in Solution by ^{13}C NMR	612
M. PONS AND D. CHAPMAN	
Thermal Cycloaddition Reaction of Xanthene-9-thione with Allenes: an ESR Study	616
J. KAMPHUIS, H. J. T. BOS AND A. H. HUIZER	
NMR Studies of Bile Acid Salts: 2D NMR Studies of Aqueous and Methanolic Solutions of Sodium Cholate and Deoxycholate	624
M. CAMPREDON, V. QUIROA, A. THEVAND, A. ALLOUCHE AND G. POUZARD	
A New Approach Utilizing High-Resolution Proton NMR in Structural Analysis of Intercalation Complexes of Natural DNA	630
S. CHANDRASEKARAN, S. KUSUMA, D. W. BOYKIN AND W. D. WILSON	
One- and Two-Dimensional NMR Data Processing on External Computers. The PRONMR 1 and 2 Software System	638
R. BENN AND J. KLEIN	
<i>Reference Data</i>	
Carbon-13 NMR Data of Some 4<i>H</i>-Imidazo[2,1-<i>c</i>][1,4]benzoxazines	644
K. VARA PRASAD RAO, P. S. N. REDDY AND V. SUNDARAMURTHY	
The ^1H and ^{13}C NMR Spectra of Some Furanoid Norditerpenes	646
A. LENTINI, J. WEBSTER, B. TERNAI AND T. KOMORI	
^{13}C Chemical Shifts and ^{13}C-^{13}C Coupling Constants of Some Alkyl(aryl) sulphonates	649
C. MILLOT, J. BRONDEAU AND D. CANET	

NUMBER 8 AUGUST 1986

^{15}N NMR: Iminothiol-Thioamide Tautomerism of 2-Mercaptobenzazoles and 1-Methyl-2-mercaptoimidazole	651
R. S. BALESTRERO, D. M. FORKEY AND J. G. RUSSELL	
^{13}C NMR Determination of the Configuration of Methyl-substituted Double Bonds in Medium- and Large-ring Terpenoids	656
G. L. LANGE AND M. LEE	
Long-range Deuterium Isotope Effects on ^1H Chemical Shifts in some Simple Organometallic Compounds	659
Y.-C. WEI, P. R. WELLS AND L. K. LAMBERT	

^1H and ^{13}C Chemical Shift Assignments of Homoisoflavanones	663
M. ADINOLFI, R. LANZETTA, G. LAONIGRO, M. PARRILLI AND E. BREITMAIER	
Detection and Localization of Solvent Effects on the Structure of Molecules with C_3 or C_2 Symmetries Derived from NMR Spectra in Anisotropic Solvents	667
P. DIEHL	
^{35}Cl NQR Investigations on Crystalline α, α'-Dichloro-<i>o</i>-xylene	670
P. VENKATACHARYULU, N. V. L. N. PRASAD, C. H. BHASKAR RAO AND D. PREMASWARUP	
Analysis of Unusual ^{13}C-^{77}Se Couplings in the ^{13}C NMR Spectra of Selenoimidates	675
R. H. CONTRERAS, M. C. RUIZ DE AZÚA AND C. G. GIRIBET	
Deuterium Isotope Effects on Silicon-29 Chemical Shifts	679
F. BERTCHIER, Y.-M. PAI, W. P. WEBER AND K. L. SERVIS	
Stereochemical Investigations on (<i>E</i>)-homoeburnane Derivatives by ^1H and ^{13}C NMR Spectroscopy	681
G. TÓTH, C. SZÁNTAY JR, Z. KARDOS, M. INCZE, F. SÓTI, C. SZÁNTAY AND G. KOTOVYCH	
Stereochemical Assignment of the Two Diastereomeric 4-<i>tert</i>-Butyl-7, 11-bisarylspiro [5.5]undecane-1,9-diones Using Two-dimensional Nuclear Magnetic Resonance Spectroscopy	687
D. N. RELE, H. H. MATHUR, G. K. TRIVEDI AND K. V. R. CHARY	
^{13}C and ^1H Two-Dimensional NMR Characterization of the Sodium Perchlorate Complex of a New Tetraoxatetraaza Lipophilic Cage Ligand	692
P. L. ANDELLI, T. BERINGHELLI, F. MONTANARI, H. MOLINARI AND S. QUICI	
NMR Study of Protonated Halothiophenes III: ^1H NMR Study of Bromothiophenium Ions	699
Y. YAMASHITA, A. YOSHINO, K. TAKAHASHI AND T. SONE	
Spin Delocalization from Paramagnetic Metal Complexes [$\text{Cr}(\text{acac})_3$ and $\text{Fe}(\text{acac})_3$] to Saturated Hydrocarbons in CHCl_3 and CCl_4 Solutions	705
A. N. KITAIGORODSKII, A. G. STEPANOV AND V. M. NEKIPELOV	
Dinuclear Tungsten and Molybdenum Complexes with Fulvalene Ligands: Assignment of Their ^1H and ^{13}C NMR Spectra by One-dimensional Heteronuclear NOE Difference Spectroscopy	709
D. J. MEYERHOFF, R. NUNLIST, M. TILSET AND K. P. C. VOLLHARDT	
Variable-temperature and -concentration ^1H and ^7Li NMR Studies of Solutions of Hexameric Iminolithium Compounds, $(\text{R}^1\text{R}^2\text{C}=\text{NLi})_6$	713
D. BARR, R. SNAITH, R. E. MULVEY, K. WADE AND D. REED	
^{13}C NMR and Lanthanide-Induced Shifts in Epoxides of Terpenes and Related Compounds	718
H.-J. SCHNEIDER AND P. K. AGRAWAL	
A Caveat Concerning 'Ultra-High Resolution NMR.' Effects of Magnetic Field Induced Alignment	723
E. W. BASTIAAN, J. BULTHUIS AND C. MACLEAN	
Correlated ^1H-^{13}C NMR Spectroscopy of Peracetylated Glycosphingolipids at 500 MHz	729
J. DABROWSKI, U. DABROWSKI, P. HANFLAND, M. KORDOWICZ AND W. E. HULL	
<i>Short Communication</i>	
Characterization of P—Au—N Bonds in the Solid State by ^{15}N NMR	734
S. J. BERNERS-PRICE, M. MORDEN, S. J. OPELLA AND P. J. SADLER	

Reference Data

- Carbon-13 NMR Spectra of Nineteen (1R)-(+)-Camphor Derivatives** 737
G. B. CRULL, A. R. GARBER, J. W. KENNINGTON, C. M. PROSSER, P. W. STONE, J. W. FANT AND J. H. DAWSON

- Benzylic Coupling Constants [$^4J(\text{MeC}=\text{CH})$] for a Series of 4-Methylbenzo[*h*]quinolines and 4-Methylbenzo[*h*]quinolin-2-ones** 739
P. KARUSO AND W. C. TAYLOR

NUMBER 9 SEPTEMBER 1986

- NMR Studies of Methylenebispyridinium Derivatives** 743
S. MUNAVALLI, L. L. SZAFRANIEC, W. BEAUDRY AND E. J. POZIOMEK

- Nuclear Magnetic Resonance Study of Selected Derivatives of 2,8,9-Trioxa-5-aza-1-silatricyclo[3.3.3.0^{1,5}]undecane (Silatrane)** 748
J. M. BELLAMA, J. D. NIES AND N. BEN-ZVI

- Carbon-13 NMR Spectra of 1,3-Dioxolanes I—New Parameters for *cis*- and *trans*-4-Methyl Groups in 2,4-Disubstituted Derivatives** 754
A. ESPINOSA, M. A. GALLO, J. CAMPOS, A. ENTRENA AND E. CAMACHO

- ^1H and ^{13}C NMR Studies on Nitrosonaphthols, and their Complexation with the Dioxouranium (VI) Ion** 758
A. VAINIOTALO AND J. VEPSÄLÄINEN

- An EPR Study of the Thermal Decomposition of Molten 2,4,6-Trinitrotoluene and its Isotopic Analogs** 762
J. T. SWANSON, L. P. DAVIS, R. C. DOREY AND W. R. CARPER

- Solid-State ^{13}C NMR Study of Drugs: Aspirin** 768
C.-J. CHANG, L. E. DÍAZ, F. MORIN AND D. M. GRANT

- Carbon–Carbon Coupling Constants of 1-Phenylazo-2-naphthol and 2-Phenylazo-1-naphthol Obtained by the SEMINA-1 Technique** 772
P. E. HANSEN AND A. LYČKA

- ^1H and ^{13}C NMR Spectra of Tetrahydroquinoxalines Condensed with Six-Membered Heterocycles** 777
V. N. CHARUSHIN, N. N. SOROKIN, A. I. CHERNYSHEV, V. G. BAKLYKOV, M. G. PONIZOVSKY AND O. N. CHUPAKHIN

- ^{13}C NMR Spin Relaxation Studies of Molecular Dynamics of Substituted Phenyl-bicyclo[2.2.2]octanes** 783
D. J. CRAIK, W. ADCOCK AND G. C. LEVY

- ^1H , ^{13}C , ^{17}O and ^{33}S NMR Investigation of Some Cyclohexyl Phenyl Sulphides, Sulphoxides and Sulphones** 792
H. DUDDECK, U. KOREK, D. ROSENBAUM AND J. DRABOWICZ

- ^1H NMR Spectra and the Structure of the Products of Reaction between *trans*-1-*N*-Alkylaminotetralin-2-ols, *trans*-3-*N*-Alkylaminotetralin-2-ols and Formaldehyde** 798
T. A. CRABB AND P. ROBINSON

- Structural Studies of Hydroxylated D-Homo-5 α -Androstanes by ^1H NMR Decoupling Difference Techniques** 803
S. A. CAMPBELL, T. A. CRABB AND R. O. WILLIAMS

CONTENTS OF VOLUME 24

Heterocyclic β-Enamino Esters 43—Easy ^{13}C NMR Distinction between Aryl-Substituted Dimroth Isomers of the 1,2,3-Triazole Series	809
H. WAMHOFF, J. BOHLEN AND S. Y. YANG	
^1H NMR Spectrum and Conformation of the Proline Ring in Propionylalanylprolineethylamide	812
R. J. ABRAHAM, B. D. HUDSON AND W. A. THOMAS	
A Set of Alkyl Substituent Constants for Correlating Chemical Shifts of a Variety of Nuclei	816
B.-L. POH	
Natural Abundance ^{15}N Chemical Shifts in Substituted Benzamides and Thiobenzamides	821
R. T. C. BROWNLEE AND M. SADEK	
Reference Data	
^{13}C NMR Chemical Shift Assignments for Some 1<i>H</i>-Pyrrole-2-carboxylic Acid Derivatives	827
M. P. SAMMES, A. R. KATRITZKY AND K. W. LAW	
^{13}C NMR Spectra of Substituted Indoles	829
G. BURTON, A. A. GHINI AND E. G. GROS	
^1H NMR Spectra of Carbohydrate-Derived Polyhydroxycarboxylates	831
M. VAN DUIN, J. A. PETERS, A. P. G. KIEBOOM AND H. VAN BEKKUM	
Proton NMR Data of Some 1,3-Benzodithioles	832
K. L. PARK, D. S. STEPHENSON, A. M. GRYFF-KELLER AND P. SZCZECIŃSKI	

NUMBER 10 OCTOBER 1986

Review: Conformation-dependent ^{13}C Chemical Shifts: A New Means of Conformational Characterization as Obtained by High-resolution Solid-state ^{13}C NMR	835
H. SAITÔ	
Substituent Effects on Carbon-13 Chemical Shifts and the Stereochemistry of <i>ent</i>-Beyeranic and <i>ent</i>-Beyer-15-enic Compounds Substituted on the Bicyclo[3.2.1]Octane Moiety	853
A. GARCIA-GRANADOS, A. MARTINEZ, M. E. ONORATO AND J. SANTORO	
Non-Additive Carbon-13 NMR Substituent Chemical Shifts II—1,3-Disubstituted Benzenes	862
J. BROMILOW, R. T. C. BROWNLEE, D. J. CRAIK AND M. SADEK	
Silicon-29 Nuclear Magnetic Resonance Studies of Aqueous Silicate Solutions 8 Spin-Lattice Relaxation Times and Mechanisms	872
C. T. G. KNIGHT AND R. K. HARRIS	
^{13}C NMR Spectroscopy of Naphtho-γ-pyrones	875
H. A. PRIESTAP	
Reinvestigation of the Structural Assignment of Signals in the ^1H and ^{13}C NMR Spectra of the Flavone Apigenin	879
P. VAN LOO, A. DE BRUYN AND M. BUDĚŠÍŇSKÝ	
Two-Dimensional NMR of Sesquiterpenic Compounds I—Application to Complete Assignment of ^1H and ^{13}C Spectra of α-Longipinene	883
R. FAURE, E. J. VINCENT, E. M. GAYDOU AND O. RAKOTONIRAINY	

¹H, ¹³C and ³¹P NMR Studies of the Stereochemistry of Chiral (4<i>R</i>, 6<i>R</i>)-2-Substituted-1,3,2-Dioxaphosphorinanes	890
G. SZALONTAI, J. BAKOS, I. TÓTH, B. HEIL, I. PELCZER AND P. SOHÁR	
Synthesis and High-Resolution ¹H NMR Spectra of Four Dimethylaminated Dipyridyl Ketones	897
D. W. JONES, H. PAKDEL, G. HALLAS AND J. D. HEPWORTH	
Conformational Study of Pyridiniumacetanilide Salts by ¹H NMR Spectroscopy	900
Z. H. KOVÁS AND P. SOHÁR	
Deuterium Isotope Effects on the ¹³C Nuclear Shielding of Intramolecularly Hydrogen-Bonded Systems	903
P. E. HANSEN	
¹⁵N NMR Investigation of the Tautomeric Equilibria of Some 1,2,4-Triazoles and Related Compounds	911
E. BOJARSKA-OLEJNIK, L. STEFANIAK, M. WITANOWSKI AND G. A. WEBB	
¹³C NMR Studies of the Triterpene 3α-Hydroxylup-20(29)-en-23,28-dioic Acid and Some Derivatives	915
A. PREISS, M. LISCHESKI, G. ADAM AND M. BUDĚŠÍNSKÝ	
Deuterium Isotope Effects on Oxygen-17 Chemical Shifts	919
S. AIME, E. SANTUCCI AND R. FRUTTERO	
Use of High-field ¹¹⁹Sn NMR and the Pairwise Additivity Model for Chemical Shifts in the Identification of Complexes in the SnBr₄-KSCN-MeOH System	921
S. J. BLUNDEN, P. A. CUSACK AND D. G. GILLIES	

NUMBER 11 NOVEMBER 1986

¹H, ¹³C and ¹⁵N NMR Studies of ¹³C and ¹⁵N Labeled 2-Methylthioxazoline Derivatives of Pentoses and Hexoses. Stereoelectronic Effects on Chemical Shifts and Mass Fragmentation Pathways	929
R. M. DAVIDSON, G. D. BYRD, E. WHITE, V. SAM, A. MARGOLIS AND B. COXON	
Carbon-13 NMR Studies in the Polycyclic Hydrocarbon Series. A New Method for the Identification of Carbons α to a Carbonyl Group. Complete Assignment of the ¹³C NMR Spectra of Several <i>cis</i>-Decalins, <i>cis</i>-Decalones, <i>cis</i>-Hydrindanones and 13α, 14α- and 13β, 14β-Steroids	938
J. C. GRAMAIN AND J. C. QUIRION	
Selenium-77 NMR Spectral Analysis of Selected Substituted Selenanes, Selenanones and 3-Selena-7-azabicyclo[3.3.1]nonanes and Derivatives	947
M. D. THOMPSON, G. S. SMITH, K. RAMALINGAM AND K. D. BERLIN	
Determination of Carbon Multiplicities by a Double Echo Sequence and Gated Decoupling	951
D. CANET, C. MILLOT AND J. BRONDEAU	
ESR Line Width Studies of Some Binary and Ternary Copper(II) Compounds in Solution	954
V. G. K. M. PISIPATI, N. V. S. RAO, S. PADMAJA, Y. ANJANEYULU AND R. P. RAO	
Conformational Analysis of a Synthetic Carboxylic Ionophore in Solution by ¹H NMR Spectroscopy	961
H. KUBONIWA, K. YAMAGUCHI, A. HIRAO, S. NAKAHAMA AND N. YAMAZAKI	

NMR Spectra of Betaines from Marine Algae	965
G. BLUNDEN, S. M. GORDON, T. A. CRABB, O. G. ROCH, M. G. ROWAN AND B. WOOD	
Heteronuclear Overhauser Effect Measured with Selective Proton Irradiation. Application of a New Method	972
P. BIGLER AND M. KAMBER	
Carbon-13 NMR of Solid Phenylazo-2-naphthols: Tautomerism and (¹³C, ¹⁴N) Residual Dipolar Coupling	977
R. K. HARRIS, P. JONSEN, K. J. PACKER AND C. D. CAMPBELL	
¹³C and ¹⁵N Nuclear Magnetic Resonance Studies of Selected Tetrazoles: Relationships with the Chemistry of Tetrazoles	984
J. H. NELSON, N. E. TAKACH, R. A. HENRY, D. W. MOORE, W. M. TOLLES AND G. A. GRAY	
Microcomputer-based ¹³C NMR Spectral Simulation of Substituted Alkanes	995
R. A. HEARMON	
High-Field ¹H and ¹³C NMR Spectroscopy of Some Corticosteroids and Related Compounds	999
H. DUDDECK, D. ROSENBAUM, M. HANI, A. ELGAMAL AND M. B. E. FAYEZ	
Line Widths, Sensitivity and Artifacts in ³³S NMR Spectra: The Case of Aqueous Sulphides	1004
P. S. BELTON, I. J. COX AND R. K. HARRIS	
Complete Assignment of the ¹³C NMR Spectra of the Ring Forms of Digitoxose by DEPT Spectrum Editing and Two-dimensional Carbon-Proton Chemical Shift Correlation Spectroscopy	1008
B. COXON	
Reference Data	
¹³C Chemical Shifts of Chlorinated Biphenyls	1013
M. YANAGISAWA, K. HAYAMIZU AND O. YAMAMOTO	
Carbon-13 and Proton NMR Data for Two Series of Mesogenic Compounds	1015
C-D. POOM, J. AFZAL, M. GANGODA AND B. M. FUNG	
CC Coupling Constants of Unsaturated Hydrocarbons	1017
R. HÜBERS, M. KLESSINGER AND K. WILHELM	

NUMBER 12 DECEMBER 1986

Application of Partially Relaxed 2D-COSY Spectra in Spectral Assignments of Carbohydrates	1023
J. K. SAUNDERS AND J. D. STEVENS	
Lanthanide Porphyrin Complexes: Investigation by Means of NMR Spectroscopy and Mathematical Simulation	1026
T. A. BABUSHKINA, L. G. KORENEVA AND V. F. ZOLIN	
The Observed and Calculated Oxygen-17 Quadrupolar Coupling Constant in Nitrous Oxide	1031
R. E. WASYLISHEN AND A. M. DE P. NICHOLAS	
¹⁷O NMR Spectroscopy: Referencing in Diamagnetic and Paramagnetic Solutions	1034
I. P. GEROTHANASSIS AND J. LAUTERWEIN	

Benzo[<i>b</i>]phenanthro[4,3-<i>d</i>]thiophene: Spectral Assignment by Two-Dimensional NMR Methods and Tertiary Structure Determination	1039
M. J. MUSMAR, A. S. ZEKTZER, G. E. MARTIN, R. T. GAMPE, JR., M. L. LEE, M. L. TEDJAMULIA, R. N. CASTLE AND R. E. HURD	
Deuterium Isotope Effects in Propylene and Ethylene Ozonide	1044
J.-I. CHOE, H.-S. CHOI AND R. L. KUCZKOWSKI	
Carbon-13 Spin-Lattice Relaxation of Tropane Alkaloids II—Models for Isotropic, Axially Symmetric and Fully Anisotropic Overall Rotational Diffusion with Diffusional or Three-State Jump Internal Motion, and their Application to the <i>N</i>-Methyl Groups of Tropine and Pseudotropine	1048
R. UUSVUORI AND M. LOUNASMAA	
Compounds with Bridgehead Nitrogen 50—¹H NMR Spectra and Structures of the Products Derived from the Reaction Between trans-3-aminotetralin-2-ol and Formaldehyde	1069
T. A. CRABB, O. G. ROCH AND R. ROBINSON	
An Increment System for Deuterium Isotope Effects on ¹³C Chemical Shifts of Methylated Benzenes	1073
S. BERGER AND B. W. K. DIEHL	
Synthesis and EPR and ENDOR Investigations of Coppinger's Radical with Perdeuteriated <i>tert</i>-Butyl Groups	1077
J. VON GERSDORFF, B. KIRSTE AND H. KURRECK	
³³S and ¹⁴N Nuclear Magnetic Resonance Spectra of Some Sulphur-Nitrogen Compounds	1080
P. S. BELTON AND J. D. WOOLLINS	
New Pulse Sequence for Long-Range Two-Dimensional Heteronuclear NMR Chemical Shift Correlation	1083
A. S. ZEKTZER, M. J. QUAST, G. S. LINZ, G. E. MARTIN, J. D. McKENNEY, M. D. JOHNSTON, JR., AND R. N. CASTLE	
On-Line NMR in Process Engineering	1089
R. NEUDERT, E. STRÖFER AND W. BREMSER	
<i>Reference Data</i>	
Carbon-13 NMR Study of Aniline Derivatives	1093
A. BULBARELA, H. TLAHUEXT, H. R. MORALES, L. CUELLAR, G. URIBE AND R. CONTRERAS	

